# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 1105 | (maintain$3 or switch$3 or chang$3 or adopt$3) with (channel adj cod$3) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/29 23:35 |
| L2 | 148 | (maintain$3 or switch$3 or chang$3 or adopt$3) near2 (channel adj (coder or coding)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/29 23:22 |
| L7 | 111 | L1 and (count$3 with (packet or frame or cell)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/29 23:36 |
| L9 | 5890 | ((count$3 or total or sum) near4 ((transmit$3 or receiv$3) near (packet or frame or cell))) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 01:46 |
| L10 | 336 | l9 and ((chang$3 or maintain$3 or increment$3 or switch$3 or decrement$3 or increas$3 or decreas$3) near5 ((channel adj cod$3) or (data adj rate))) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 01:39 |
| L13 | 1107 | ((chang$3 or maintain$3 or increment$3 or switch$3 or decrement$3 or increas$3 or decreas$3) near5 ((channel adj (encod$3 or cod$3)) or (data adj rate))).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 00:36 |
| L23 | 243 | (link adj adaptation) and ((chang$3 or maintain$3 or increment$3 or switch$3 or decrement$3 or increas$3 or decreas$3) near5 ((channel adj cod$3) or (data adj rate))) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 01:40 |
| L25 | 1846 | packet adj (error adj rate) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 01:45 |
| L26 | 152 | ((count$3 or total or sum) near4 ((transmit$3 or receiv$3) near (packet or frame or cell))) and (packet adj (error adj rate)) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/09/30 01:46 |

**IEEE** *Xplore* ©
RELEASE 2.4

**Welcome United States Patent and Trademark Office**

□ **Search Session History**

BROWSE    SEARCH    **IEEE XPLORE GUIDE**

## Sun, 30 Sep 2007, 3:09:12 AM EST

### Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

**Select a search number (#) to:**
- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

### Recent Search Queries

**#1**   ( ( link adaptation<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#2**   ( ( link adaptation<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#3**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#4**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#5**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#6**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#7**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#8**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#9**   ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#10**  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

**#11**  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#12  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#13  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#14  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#15  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#16  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#17  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#18  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#19  ( ( (~~link adaptation~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#20  ((  ( (~~packet error rate~~)<in>metadata ) <and> ( (~~channel coder~~) <in>metadata ) )) <and> (pyr >= 1950 <and> pyr <= 1999)

#21  ( ( (~~packet error rate~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

#22  ( ( (~~packet error rate~~)<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 1999)

Help   Contact U
Securit

© Copyright 20(
Righ

Indexed by
Inspec°